

Dated:11/01/2021

**ST. JOSEPH'S COLLEGE (AUTONOMOUS), JAKHAMA**  
**B.B.A.- I SEMESTER PROVISIONAL RESULT**  
**HELD ON DECEMBER 2ND - 5TH, 2020**

Sl. No	Roll Number	Sem	Fundamentals of Management & Organisational Behaviour - BAC 1.1			Business Accounting - BAC 1.2			Business Communication - BAA 1.3			Generic Elective					Percentage (%)	
			Internal Assess. Total(30)	END SEM (70)	TOTAL(100)	Internal Assess. Total(30)	END SEM (70)	TOTAL(100)	Internal Assess. Total(15)	END SEM (35)	TOTAL(50)	Paper Code	Internal Assess. Total(30)	END SEM (50)	TOTAL(80)	Paper Code		PRACTICAL (20)
1	20BAD003	I	26	60	86	29	59	88	13	33	46	COG 1.4	27	38	65	COG 1.4 (P)	18	86.57
2	20BAD004	I	24	47	71	30	55	85	11	24	35	COG 1.4	29	36	65	COG 1.4 (P)	19	78.57
3	20BAD005	I	26	53	79	29	45	74	12	26	38	COG 1.4	25	38	63	COG 1.4 (P)	12	76.00
4	20BAD006	I	24	46	70	27	37	64	13	27	40	COG 1.4	26	29	55	COG 1.4 (P)	13	69.14
5	20BAD008	I	24	34	58	26	33	59	8	16	24	COG 1.4	23	42	65	COG 1.4 (P)	12	62.29
6	20BAD009	I	23	34	57	28	32	60	10	20	30	COG 1.4	23	38	61	COG 1.4 (P)	11	62.57
7	20BAD010	I	24	47	71	28	44	72	10	18	28	COG 1.4	29	39	68	COG 1.4 (P)	11	71.43
8	20BAD011	I	23	41	64	26	52	78	11	21	32	COG 1.4	23	33	56	COG 1.4 (P)	15	70.00
9	20BAD012	I	15	35	50	25	33	58	8	17	25	COG 1.4	28	39	67	COG 1.4 (P)	11	60.29
10	20BAD013	I	25	48	73	29	50	79	12	24	36	COG 1.4	26	30	56	COG 1.4 (P)	11	72.86
11	20BAD014	I	22	48	70	28	48	76	10	21	31	COG 1.4	27	40	67	COG 1.4 (P)	12	73.14
12	20BAD015	I	27	49	76	14	38	52	7	25	32	COG 1.4	24	27	51	COG 1.4 (P)	12	63.71

13	20BAD016	I	27	35	62	26	38	64	12	22	34	COG 1.4	25	30	55	COG 1.4 (P)	13	65.14
14	20BAD017	I	29	35	64	24	39	63	8	22	30	COG 1.4	23	38	61	COG 1.4 (P)	17	67.14
15	20BAD018	I	24	32	56	25	32	57	12	20	32	COG 1.4	26	26	52	COG 1.4 (P)	13	60.00
16	20BAD020	I	26	50	76	29	48	77	11	21	32	COG 1.4	27	36	63	COG 1.4 (P)	19	76.29
17	20BAD021	I	14	44	58	2	0	2	7	20	27	COG 1.4	26	27	53	COG 1.4 (P)	12	43.43
18	20BAD022	I	25	44	69	15	44	59	10	18	28	COG 1.4	26	35	61	COG 1.4 (P)	12	65.43
19	20BAD023	I	23	41	64	26	45	71	11	25	36	COG 1.4	25	38	63	COG 1.4 (P)	14	70.86
20	20BAD024	I	23	46	69	29	54	83	12	20	32	COG 1.4	27	37	64	COG 1.4 (P)	15	75.14
21	20BAD025	I	24	41	65	27	38	65	11	24	35	COG 1.4	26	36	62	COG 1.4 (P)	12	68.29
22	20BAD026	I	22	35	57	14	32	46	10	18	28	COG 1.4	25	28	53	COG 1.4 (P)	13	56.29
23	20BAD027	I	24	58	82	27	47	74	7	21	28	COG 1.4	23	34	57	COG 1.4 (P)	18	74.00
24	20BAD028	I	15	35	50	15	38	53	7	18	25	COG 1.4	28	27	55	COG 1.4 (P)	11	55.43
25	20BAD029	I	25	52	77	25	36	61	9	17	26	COG 1.4	22	25	47	COG 1.4 (P)	11	63.43
26	20BAD030	I	20	48	68	29	46	75	7	21	28	COG 1.4	26	36	62	COG 1.4 (P)	19	72.00
27	20BAD031	I	15	32	47	2	0	2	7	17	24	COG 1.4	26	24	50	COG 1.4 (P)	11	38.29
28	20BAD033	I	27	45	72	26	32	58	10	22	32	COG 1.4	26	39	65	COG 1.4 (P)	14	68.86
29	20BAD035	I	21	36	57	30	40	70	10	17	27	COG 1.4	26	38	64	COG 1.4 (P)	12	65.71
30	20BAD036	I	21	42	63	30	40	70	11	20	31	COG 1.4	25	37	62	COG 1.4 (P)	12	68.00
31	20BAD038	I	25	42	67	29	48	77	13	19	32	COG 1.4	24	36	60	COG 1.4 (P)	12	70.86
32	20BAD039	I	22	43	65	29	45	74	12	22	34	COG 1.4	25	37	62	COG 1.4 (P)	12	70.57
33	20BAD040	I	25	32	57	29	38	67	9	17	26	COG 1.4	26	25	51	COG 1.4 (P)	16	62.00
34	20BAD041	I	23	46	69	28	42	70	9	20	29	COG 1.4	26	35	61	COG 1.4 (P)	12	68.86
35	20BAD043	I	23	53	76	28	47	75	12	25	37	COG 1.4	28	39	67	COG 1.4 (P)	12	76.29
36	20BAD044	I	15	45	60	26	42	68	7	22	29	COG 1.4	27	41	68	COG 1.4 (P)	12	67.71
37	20BAD046	I	23	44	67	30	48	78	15	27	42	COG 1.4	26	43	69	COG 1.4 (P)	15	77.43
38	20BAD048	I	14	43	57	25	51	76	8	22	30	COG 1.4	25	28	53	COG 1.4 (P)	11	64.86
39	20BAD049	I	25	44	69	27	46	73	11	18	29	COG 1.4	27	37	64	COG 1.4 (P)	17	72.00
40	20BAD050	I	23	38	61	28	44	72	12	20	32	COG 1.4	27	40	67	COG 1.4 (P)	16	70.86
41	20BAD052	I	23	42	65	29	33	62	8	23	31	COG 1.4	25	29	54	COG 1.4 (P)	13	64.29
42	20BAD053	I	28	48	76	29	58	87	12	26	38	COG 1.4	27	34	61	COG 1.4 (P)	19	80.29
43	20BAD054	I	24	49	73	29	49	78	12	27	39	COG 1.4	25	39	64	COG 1.4 (P)	11	75.71
44	20BAD055	I	25	38	63	20	44	64	12	25	37	COG 1.4	26	32	58	COG 1.4 (P)	18	68.57
45	20BAD056	I	23	50	73	29	58	87	12	28	40	COG 1.4	24	38	62	COG 1.4 (P)	11	78.00

46	20BAD057	I	17	35	<b>52</b>	17	33	<b>50</b>	8	19	<b>27</b>	<b>COG 1.4</b>	27	27	<b>54</b>	<b>COG 1.4 (P)</b>	<b>13</b>	<b>56.00</b>
47	20BAD058	I	25	60	<b>85</b>	30	58	<b>88</b>	12	25	<b>37</b>	<b>COG 1.4</b>	28	39	<b>67</b>	<b>COG 1.4 (P)</b>	<b>13</b>	<b>82.86</b>
48	20BAD060	I	25	52	<b>77</b>	29	49	<b>78</b>	12	22	<b>34</b>	<b>COG 1.4</b>	28	40	<b>68</b>	<b>COG 1.4 (P)</b>	<b>19</b>	<b>78.86</b>
49	20BAD062	I	25	37	<b>62</b>	25	32	<b>57</b>	10	23	<b>33</b>	<b>COG 1.4</b>	24	37	<b>61</b>	<b>COG 1.4 (P)</b>	<b>13</b>	<b>64.57</b>
50	20BAD063	I	26	60	<b>86</b>	30	53	<b>83</b>	13	27	<b>40</b>	<b>COG 1.4</b>	27	36	<b>63</b>	<b>COG 1.4 (P)</b>	<b>15</b>	<b>82.00</b>
51	20BAD064	I	28	62	<b>90</b>	30	60	<b>90</b>	14	31	<b>45</b>	<b>COG 1.4</b>	25	43	<b>68</b>	<b>COG 1.4 (P)</b>	<b>19</b>	<b>89.14</b>
52	20BAD065	I	23	47	<b>70</b>	30	48	<b>78</b>	11	23	<b>34</b>	<b>COG 1.4</b>	26	33	<b>59</b>	<b>COG 1.4 (P)</b>	<b>19</b>	<b>74.29</b>
53	20BAD066	I	20	56	<b>76</b>	27	51	<b>78</b>	11	22	<b>33</b>	<b>COG 1.4</b>	27	32	<b>59</b>	<b>COG 1.4 (P)</b>	<b>12</b>	<b>73.71</b>
54	20BAD067	I	24	52	<b>76</b>	28	53	<b>81</b>	11	24	<b>35</b>	<b>COG 1.4</b>	28	29	<b>57</b>	<b>COG 1.4 (P)</b>	<b>12</b>	<b>74.57</b>
55	20BAD068	I	22	44	<b>66</b>	17	39	<b>56</b>	12	23	<b>35</b>	<b>COG 1.4</b>	27	37	<b>64</b>	<b>COG 1.4 (P)</b>	<b>12</b>	<b>66.57</b>
56	20BAD069	I	25	49	<b>74</b>	26	45	<b>71</b>	12	21	<b>33</b>	<b>COG 1.4</b>	24	26	<b>50</b>	<b>COG 1.4 (P)</b>	<b>11</b>	<b>68.29</b>
57	20BAD070	I	23	40	<b>63</b>	29	41	<b>70</b>	10	23	<b>33</b>	<b>COG 1.4</b>	26	37	<b>63</b>	<b>COG 1.4 (P)</b>	<b>18</b>	<b>70.57</b>
58	20BAD071	I	22	46	<b>68</b>	27	43	<b>70</b>	12	19	<b>31</b>	<b>COG 1.4</b>	26	26	<b>52</b>	<b>COG 1.4 (P)</b>	<b>12</b>	<b>66.57</b>
59	20BAD072	I	25	55	<b>80</b>	25	44	<b>69</b>	10	22	<b>32</b>	<b>COG 1.4</b>	25	38	<b>63</b>	<b>COG 1.4 (P)</b>	<b>11</b>	<b>72.86</b>
60	20BAD073	I	27	54	<b>81</b>	29	53	<b>82</b>	11	26	<b>37</b>	<b>COG 1.4</b>	27	44	<b>71</b>	<b>COG 1.4 (P)</b>	<b>19</b>	<b>82.86</b>
61	20BAD074	I	23	42	<b>65</b>	28	32	<b>60</b>	11	16	<b>27</b>	<b>COG 1.4</b>	26	32	<b>58</b>	<b>COG 1.4 (P)</b>	<b>19</b>	<b>65.43</b>
62	20BAD075	I	25	47	<b>72</b>	30	41	<b>71</b>	13	26	<b>39</b>	<b>COG 1.4</b>	29	28	<b>57</b>	<b>COG 1.4 (P)</b>	<b>15</b>	<b>72.57</b>
63	20BAD076	I	24	56	<b>80</b>	25	38	<b>63</b>	11	25	<b>36</b>	<b>COG 1.4</b>	27	38	<b>65</b>	<b>COG 1.4 (P)</b>	<b>15</b>	<b>74.00</b>
64	20BAD077	I	25	38	<b>63</b>	22	32	<b>54</b>	7	16	<b>23</b>	<b>COG 1.4</b>	24	24	<b>48</b>	<b>COG 1.4 (P)</b>	<b>15</b>	<b>58.00</b>
65	20BAD078	I	24	43	<b>67</b>	27	46	<b>73</b>	8	23	<b>31</b>	<b>COG 1.4</b>	25	39	<b>64</b>	<b>COG 1.4 (P)</b>	<b>15</b>	<b>71.43</b>

**WITHELD STUDENTS ARE REQUESTED TO CONTACT THE COLLEGE OFFICE  
(Mobile No. 8974898569) DURING OFFICE HOURS (9:00A.M- 2:00 P.M) ON OR BEFORE 15th JAN 2021.**

- 1 20BAD001
- 2 20BAD002
- 3 20BAD007
- 4 20BAD032
- 5 20BAD034
- 6 20BAD037
- 7 20BAD042
- 8 20BAD045
- 9 20BAD051
- 10 20BAD061